


ECO TANKERS

An operational challenge

- Trading ECO tankers economically
- Looking at masters and operators perspective

Capt. Steven Sandorff Director Head of Tanker Operations





Dampskibsselskabet NORDEN A/S



Dampskibsselskabet NORDEN A/S




- Design
- Equipment
- Competent ship crew and shore staff

Design




NORDN





NORDN





Instant Values Accumulated Values				Logging History				10,0
			(1	1			8,000
opulsion and Performance	Fuel Oil Consumption	n Environment	3- D				1	6,000
Asin Engine								a a
Shaft Power	5688							4,000
Shaft Speed	104.2							2,000
Shaft Torque Propeller Thrust	521 524							lo "
riopener in usc	J24	NT			Share and a second second second			
Speed								1
ByLog	15.0 15.6							100 2
By GPS Slip	3.5							50 2
Ship Course (from GPS)	261			1				Spee
	201	10000 · · · ·						- E
Performance	210.6	alsh						-50 4
M/E SFR, actual (HFO basis) M/E SFR (ISO 42700 kJ/kg)		g/kWh						-100 2
Propulsion Efficiency		m/kWh						
Ship Overall Eff. (HFO basis)		kg/nm			- 17- JAN			3,000
Ship Overall Eff. (Ref. 42700 k)/kg) 87.0	kg/nm						2,500 2
Performance Alarm	OK							2,000
							1	1,500
				1				1,000 1
								10 M
							1	-500 🚆
								0
	Reference Cur	ves						1-350
el Cons-Speed Power-RPM	Power-Speed	SFR-Power			1			300 5
Fuel Consu	mption vs. Ship Speed (L					*********		250 2
2,200		1 1 1						200
2,000			/			·····		150 3
1,900								100 4
1,600			/					10
1,600 1,400 1,200			/					1
1,200	1 1		/					20
1,000		•		1				1 2
						·····		16 특
800				1				10 -
600			1			}		10 poods divis
400								5 5
200				-	- 10 - 10 -			

NORDN



